
27

24



there gives a region of the state of the sta

Inventor(s): Koichi Nakata
Attorney Docket No. and Serial No. 9333/285

下 (5, 2)

SPEECH INPUT GUIDANCE DATA

							 ·
E	SPEECH INPUT EXECUTION	h(1)	h(2)	h(3)	• •	h(m)	 h(n)
COUNT VALUE	GUIDANCE DISPLAY	j(1)	j(2)	j(3)	•••	j(m)	 jtn)
00	SPEECH GUIDANCE	1(1)	1(2)	1(3)		i(m)	 i(n)
	GUIDANCE EXAMPLE	SPEECH COMMAND "CURRENT POSITION", 1S AVAILABLE FOR CURRENT POSITION OPERATION	SPEECH COMMAND, "ZOOM IN", IS AVAILABLE FOR ZOOM IN OPERATION	SPEECH COMMAND, "TELEPHONE NUMBER", IS AVAILABLE FOR SEARCH BY TELEPHONE NUMBER OPERATION		SPEECH COMMAND, "UP VOLUME" IS AVAILABLE FOR TURNING UP SOUND VOLUME OPERATION	 •
OPERATION	MEANS OTHER THAN SPEECH	INDICATE "CURRENT POSITION" BUTTON WITH CURSOR	INDICATE "ZOOM IN" BUTTON WITH CURSOR	INDICATE "SEARCH BY TELEPHONE NUMBER" BUTTON WITH CURSOR		TURN VOLUME KNOB CLOCKWISE	 ••
1	SPEECH COMMAND	CURRENT POSITION	NI MOOZ	TELEPHONE NUMBER		UP VOLUME	 •••
SPFCH	COMMAND	-	8	т		E	 c

FIG. 3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG. 9




FIG. 10




FIG. 11(a)




FIG. 11(b)




FIG.12




FIG. 13

SPEECH INPUT GUIDANCE FOR	SPEECH INPU	SPEECH INPUT GUIDANCE ACCUMULATED DATA	MULATED DATA
OPERATION CONTENT	COMMAND	COMBINED WITH	COMBINED WITH PARAPHRASED BY
TURN UP SOUND VOLUME OF AUDIO	UP SOUND VOLUME	-	I
TURN UP SOUND VOLUME OF AUDIO	TURN UP SOUND VOLUME	1	Į
TURN UP SOUND VOLUME OF AUDIO	UP VOLUME	Î	1 -
		••••	
		i en e	VOLUME
COMMAND PARAPHRASING, AND		UP	1
OPERATION CONTENTS TO BE	VOLUME	TURN UP	1
OBJECT. "SOUND VOLUME"		NMOG	[
		TURN DOWN	1
		· ·	SOUND VOLUME
COMMAND PARAPHRASING, AND		dn .	1
OPERATION CONTENTS TO BE	VOLUME	TURN UP	1
COMBINED WITH OFFRATION OBJECT. "VOLUME"		NMOG	1
		TURN DOWN	1

Patent Application for: METHOD AND APPARATUS FOR SPEECH INPUT GUIDANCE

Inventor(s): Koichi Nakata
Attorney Docket No. and Serial No. 9333/285

FIG.14(a)

	· · · · · · · · · · · · · · · · · · ·			
SPEECH INPUT GUIDANCE	SPEECH INPUT GUIDANCE ACCUMULATED DATA			
FOR OPERATION CONTENT	COMMAND	COMBINED WITH		
	TRANSMIT MAIL	-		
SEND MAIL	SEND MAIL	-		
DECENCE MAIL	RECEIVE MAIL			
RECEIVE MAIL	GET MAIL			
:		:		
		TRANSMIT		
PROVIDE SPEECH OR SCREEN		SEND		
FOR LIST OF OPERATION		RECEIVE		
CONTENTS TO BE COMBINED	MAIL	GET		
WITH OPERATION OBJECT,		READ		
"MAIL"		STORE		
		SAVE		

FIG.14(b)

SPEECH INPUT GUIDANCE	SPEECH INPUT GUIDANCE ACCUMULATED DATA			
FOR OPERATION CONTENT	COMMAND	COMBINED WITH		
SHOW VICS CHARACTER INFORMATION	VICS CHARACTER INFORMATION	-		
SHOW VICS GRAPHIC INFORMATION	VICS GRAPHIC INFORMATION	-		
	i ·	:		
PROVIDE SPEECH OR SCREEN FOR LIST OF OPERATION		CHARACTER INFORMATION		
CONTENTS TO BE COMBINED WITH OPERATION OBJECT,	VICS	GRAPHIC INFORMATION		
"VICS"		:		

FIG. 15(a)





FIG. 15(b)



Inventor(s): Koichi Nakata

Attorney Docket No. and Serial No. 9333/285

FIG. 16(a)





FIG. 16(b)



Comment of the commen

FIG.17

